



Meanders:

Tippecanoe River in Townships 29N & 30N in Ranges 1W & 2W



Indiana Historical Land Survey Documents project - LW & CJH, 2021


Surveyed: 1/1835


Meanders of the


Tipppecanoe River


through Townships.

Dq 4 30. No 10211









$$\begin{array}{r} 435 \\ 330 \\ \hline 765 \\ 620 \\ \hline 1385 \\ 425 \\ \hline 3100 \end{array}$$

Meanders of Tippucanoe River

beginning at Township 31. Range
1 West Section 6. left Bank
of Tippucanoe Down Stream

Section 6.

S 57 N 3.43

S 22 N 11.45

S 52 N 11.18

S 15 N 5.83

S 22 N 5.50

S 26 W 8.22

Don't close by 4.10
4.50

North point Id. & South pt.

10 Oak on Range line

No Bearings

S 3 1/2 E 2.21

S 6 1/2 E 6.50

S 2 1/2 E 2.21

Sec 1. R 2 W

10 29

Post on Range line

S 32 E 5.42

S 18 E 3.82

S 34 E 4.21

S 62 E 7.08

S 31 1/2 E 5.83

S 54 E 6.50

S 44 E 3.50

S 31 E 2.80

S 5 W 4.26

Section 6. Range 1 W

Don't close by 2.00

43 02

North point Island

3 1/2 white oak on
Section line 30 inches dia

99.55

(2)

115 W	1.83	Section 7. Range 1. W
140 1/2 W	6.00	
142 W	7.25	Island
123 1/2 W	5.60	
121 W	3.41	Month of creek 30th, 11
127 W	4.50	
139 1/2 W	6.29	To post on Range line
156 W	1.95	
165 W	1.26	or the place where it was
		supposed to be - Destroyed
		by the Indians, and marks
		destroyed

161 W	5.55	Section 12 Range 2 W
164 1/2 W	3.11	
161 1/2 W	4.15	North point Island
174 W	6.00	
173 1/2 W	5.25	perhaps N
172 1/2 W	7.85	
110 W	6.42	South point Island
155 W	4.45	
156	8.15	A pt. Island
135 W	5.97	
	95.29	

38.09

5 ch.
5720

$12\frac{3}{4}$ W.	5.85	} South pt. Island 28.43 Section 12 & 13 post on line between
$120\frac{1}{2}$ E	10.58	
$154\frac{1}{2}$ E	12.00	

Section 13. R 2. W

$157\frac{1}{2}$ E 3.50

$523\frac{1}{2}$ E 5.38

$117\frac{1}{2}$ W 4.13

$128\frac{1}{2}$ W 8.50

$155\frac{1}{2}$ W 4.79

$557\frac{1}{2}$ W 5.00

S 83 W 6.20

N 82 W 5.39

N 77 W 7.98

N 41 W 5.86

N 33 W 4.27

N 21 W 5.00

N 39 W 6.50

N 20 W 7.44

South point Island
Indian burying
ground high bluffs

74.04

Post
on line between
Section 12 & 13

N 57 W 8.00

S 83 W 4.28

S 63 W 4.82

S 1/2 E 4.50

$3\frac{1}{2}$ W 124.07

sect 12. R 2. W

to a line on map
between 12 & 13

21.60

4

Section 13. R. 2 N

123 E	6.22
¹⁹ 147½ E	4.44
588 E	6.00
⁴ 161 E	6.16
⁵⁷ 115 E	2.61
⁵ 119 E	3.80
²¹ 117 N	4.71
⁶ 122 N	2.73
⁴ 520½ W	2.73
⁰ 534 E	4.66 (62)
⁷⁸ 582 E	3.40
East	7.68
⁵⁸⁶⁸ 582½ E	10.25
⁷⁸ 574½ E	4.38
East	3.79
⁸⁶⁶ 585 E	13.08
¹ 182 E	11.12
⁶ 101½ E	9.72
⁵ 171½ E	2.33

Range line at a
Sycamore no bearings

109.77

15

A73 E 4.22 Sect 18 R 1 W

S52 E 4.12

S31½ E 12.83 Island

S25 E 4.98

N19 E 3.83

S31 E 3.64

N39½ E 4.00

S82 E 5.35

S89 E 8.18

N46½ E 10.58

N81½ E 12.74

N76½ E 5.06

N82½ E 4.53

N83½ E 5.24

N77½ E 6.61

N31½ E 7.00

N17½ ~~W~~ ~~E~~ 7.12

S68 W 5.61

Don't Close by 8.25
 { 110.64
 inches
 to line 30 diameters
 between ^{See} 18 & 19

S11 W 11.00

Section 19.

S87 W 4.00

High Bluffs

125.64

N 79 W	4.48
N 77 1/2 W	5.00
S 33 W	2.88
S 14 E	13.13
S 18 W	7.79
S 65 W	18.00
S 35 W	10.00
S 24 1/2 W	7.21
S 41 W	8.40
S 37 1/2 W	10.22
S 9 1/2 E	10.59
S 8 1/2 E	3.50
S 20 W	11.04
S 34 W	2.46

Section 19. P. 1. W

Don't close by 10.20
114.70

Island

Hornbeam between ⁵²⁰⁴ 19420

S 31 1/2 E	1.16
S 24 1/2 W	6.10
S 29 1/2 W	6.00
S 76 1/2 W	63

Section 30. P. 1.

1389

To Range line etc

Tree but no bearings

S 10 W	1.80
S 52 1/2 W	5.44
S 81 W	11.50
	147.33

Section 35. P. 2

7

S 86 W	11.65	
S 86 W	6.84	
S 67 W	3.10	
S 26 W	4.22	
S 28 E	3.94	
S 76 E	8.00	Islands by
S 52 E	3.84	
S 25 E	6.46	
S 69 E	4.84	Doubt close by
S 84 E	7.10	
S 68 1/2 E	8.27	
S 56 E	7.03	
S 51 E	1.20	post on Range line

3.50
7549

Section 30 R 1. W		
S 44 E	3.80	
S 6 1/2 W	5.00	
S 42 W	3.17	Range line and post or bearings

1197

S 51 W	3.22	Section 25 -
S 80 1/2 W	4.00	High Bluffs
N 85 W	6.90	
N 82 W	5.94	
<u>107.52</u>		

12206

184 $\frac{1}{2}$ W	7 54	Section 25. contin ^d
165 $\frac{1}{2}$ W	3.02	
119 W	4.64	
15 E	5.36	Island 3.20
126 W	2.21	
137 $\frac{1}{2}$ W	3.32	Don't Close by 36 44
149 $\frac{1}{2}$ W	4.00	
138 $\frac{1}{2}$ W	3.57	
155 $\frac{1}{2}$ W	3.83	Line between 23 ⁵⁰ & 36

156 W	5.38	See 36. R 2
157 W	6.28	Mill creek one chain wide
125 W	9.93	
120 W	8.50	5162
142 W	6.13	Don't Close by 3.50
168 W	8.15	8th January 1835
176 W	5.00	
175 W	2.25	13 Oak 10 inches diamete between sections 35 & 36
173 $\frac{1}{2}$ W	.98	See 35 R 2 W
186 W	8.08	1181
171 W	2.75	Island
167	99.87	

N 71 ⁶⁷ W	38.5 6.60
N 70 ⁶⁶ W	6.63
S 79 ⁸³ W	3.50
S 85 ⁸⁷ $\frac{1}{2}$ W	4.10
S 62 ⁶⁶ W	11.69
S 40 ⁴⁴ W	6.45 11.55
S 44 W	5.30
S 42 ⁴⁶ W	10.50
S 13 ¹⁷ W	8.98
S 44 ⁴⁸ W	5.72
S 62 ⁶⁶ W	6.82
N 89 ⁸⁵ W	8.26
N 75 ⁷¹ W	5.10

Section 35 Rayell

91.98

line between sections 34 & 35

N 78 ⁸² W	9.94 7.94
S 42 W	4.90
S 42 ⁴⁶ W	4.90
S 14 ¹⁸ $\frac{1}{2}$ W	6.59
S 46 ⁵⁰ W	7.48
S 48 ⁵² $\frac{1}{2}$ W	6.69
S 65 ⁶⁹ W	7.12
	132.70

Section 34

40.72

line between Townships 29 & 30 R 2, W

Section 3. Town 29.
 { R 2 W

A. 38 W 8.84

S 26 W 6.26

S 28 W 4.26

S 32 W 5.23

S 51 W 10.72

S 64 1/2 W 4.90

S 81 1/2 W 5.00

A 72 W 7.21

A 89 W 3.90

S 62 W 5.50

S 51 W 5.00

S 68 W 7.74

67.28

No Post between
 sections 3 & 4

S 35 1/2 W 3.89

S 57 1/2 W 3.69

S 61 1/2 W 8.06

S 63 W 7.71

S 31 1/2 W 5.14

S 6 W 4.41

S 3 W 10.98

S 18 1/2 W 6.45

S 15 1/2 W 1.76

119.37

Section 4

{ 52.09

No post on line between
 Sects 4 & 9

N
S 16 W 9.69 Section 9.

S 19 1/2 W 14.27

S 38 W 13.23

S 23 W 12.00

S 22 1/2 W 14.00

S 48 1/2 W 14.52

S 57 1/2 W 2.98

Post on Line between 8 & 9

{ 8543

~~S 12 W~~ 7.66

S 62 W 7.66

S 70 W 9.17

S 73 W 4.17

Sec 8. I 29. R 2 W

Island

line 8 & 14

{ 2100

S 57 W 8.11

N 84 1/2 W 9.00

N 78 W 8.26

S 80 W 12.20

S 48 W 4.50

S 46 W 4.50

S 61 W 5.60

N 80 W 5.30

N 65 W 4.25

S 68 1/2 W 8.74

Section 17

Island

to line

{ 7046

17818

17.6189.

167 N 6.30 } Section 18

170 1/2 N 8.46

174 N 8.57

167 N 9.44

14 1/2 N 6.76

132 E 7.54

125 E 10.60

117 E 6.94

14 1/2 N 4.68

512 N 14.64

118 E 13.20

116 1/2 N 1.47

Post between 1841
9. the January 1835

119 E 2.07

16 N 1.43

15 1/2 N 3.17

117 N 8.46

149 1/2 N 3.97

154 1/2 N 15.15

148 N 17.25

141 1/2 N 7.46

128 N 2.69

140 1/2 E 3.41

15769

Section 19

6556

13

Island
Dec 19 cont.

S 52½ E 10.615 }
S 10 E 8.26 }

S 28 W 9.52

S 48 W 6.11

A 12 W 5.76

S 95 E 1.24

} 41 49

to 73 back on left
Bank Tappe canoe
10 inches Diameter

Dec 30

S 63½ E 12.21 } Island

S 30½ E 4.13

S 23 E 4.00

S 14 E 6.20

S 5 W 4.58

S 17 W 5.75

S 23½ W 10.29

S 35 W 10.71

S 35½ W 5.60

S 23 W 3.68

S 5½ W 11.00

S 4½ W 7.52

S 15 W 2.98

S 1½ E 3.44

134.60

93.11

Return section
Post 30 & 31

S 3 1/2 E	2.40	} Sect. 31
S 13 1/2 W	4.15	
S 30 W	3.91	
S 49 W	4.65	
S 58 W	7.31	
		2200
		E chains ride
		Month of Indian Creek 2
		Range line between
		Ranges 2 & 8 W

S 50 1/2 W	5.50	} Section 36 R 3 W
S 38 1/2 W	5.00	
S 37 W	11.13	
S 41 W	6.71	
S 52 1/2 W	3.62	
S 37 1/2 W	6.54	} Island & Bluffs
S 31 W	4.53	
S 4 E	4.94	
S 2 E	3.86	
S 10 W	6.28	
S 15 1/2 W	2.97	} To town line
S 38 W	5.65	
S 17 1/2 W	16.09	
		between 08 & 29

10771

Right Bank Tippacannoe

Section 6. Twp. R1 W Lawn Stream

S 45 1/2 W	22.24	3	Section 6
S 30 W	11.38		Don't close by 2.50
S 49 W	12.00		
S 17 W	7.04		to post on Range line
S 12 1/2 W	14.73		Section 1. R 2.
S 10 E	13.33		
S 29 E	6.72		to post on Range line
S 47 E	17.26		Section 6. R1 W
S 45 E	5.50		Don't close by 1.20
S 39 E	5.71		to stake between 6 & seven
S 73 1/2 W	6.69		Section 7. R1 W
S 18 1/2 W	5.91		High Bluffs
S 11 W	7.50		Don't close by 2.40
S 33 W	13.31		to post on Range line
12952			

$S 52\frac{1}{2}^{\circ} N$ 7.00 } Section 12. R 2 W

$S 82\frac{1}{2}^{\circ} N$ 5.74

$N 75\frac{1}{2}^{\circ} W$ 9.00

$S 74\frac{1}{2}^{\circ} W$ 6.86

$S 45^{\circ} W$ 7.08

$S 24^{\circ} W$ 10.31

$S 30^{\circ} W$ 10.98

$S 12^{\circ} E$ 9.41

$S 5\frac{1}{2}^{\circ} E$ 11.00

$S 34^{\circ} E$ 7.08

$S 38\frac{1}{2}^{\circ} E$ 5.00

Creek 35 W. Mile

to Post on line between
Sec. 12 & 13

$S 28^{\circ} E$ 15.00

Sec 13. R 2 W

$S 37^{\circ} W$ 6.76

$S 48^{\circ} W$ 7.61

$N 78\frac{1}{2}^{\circ} W$ 11.69

$N 73\frac{1}{2}^{\circ} W$ 2.30

$N 31^{\circ} W$ 12.10

$N 19\frac{1}{2}^{\circ} W$ 3.15

$N 37^{\circ} W$ 2.20

to Post on line
between 12 & 13

139.22

21 17
R 2 W

N 37 ³ W	4.19	Section 12
A 51 ³ / ₂ W	6.10	High Bluffs
A 49 ⁴ W	4.00	
N 83 ⁴ W	4.64	
S 42 ¹ W	7.00	
S 3 ⁶ E	7.00	To corner ^{sects} 11. 12. 13. 14
1 W		

S 5 E	5.80	Section 13 R 2 W
S 38 ¹ / ₂ E	6.27	Range line between Ranges 17, 2 W
S 71 ⁴ / ₂ E	7.06	
S 65 ⁶ / ₂ E	6.57	
S 11 ¹ W	13.66	
N 42 ³ W	7.60	
S 81 ³ W	9.14	
S 85 ⁷ / ₂ E	25.04	
S 89 ⁵ W	13.06	
N 87 ⁵ / ₂ E	6.76	
N 65 ⁵ W	6.83	
N 56 ⁶ W	6.95	

N 80 E	4.20	Sec 18 R. 1 W
S 30 E	15.50	
S 26 E	5.50	
	172.87	

118

S 28 E	9.26	} Sec 18 R1 W
S 47 E	5.44	
S 86 1/2 E	9.13	
S 81 1/2 E	4.87	
S 87 1/2 E	6.40	
N 80 1/2 E	7.31	
N 84 E	4.84	
N 74 E	8.14	
S 85 E	11.07	
S 62 1/2 E	2.98	
S 12 E	4.73	
S 62 1/2 W	7.86	
S 71 W	4.15	
S 54 W	3.05	
N 78 1/2 W	13.35	
S 60 W	3.50	} Post on line between Sec 18 & 19, R1. W
S 30 1/2 W	3.26	

Don't close by 4' ch.

S 26 W	3.00	} Sect 19. R1 W.
S 5 E	17.94	
S 68 W	11.96	
S 50 W	10.38	
S 21 1/2 W	14.86	
	167.37	

Don't by 8 ch.

19

S37 M 15.26 } Sect 19. R1. M

S5 M 16.34

S13½ M 6.07

S1 E 4.07

on line
Post between M & 30

S24 M 4.76

Sect 30 R1 M
to post on Range line

S26 M 6.35

Sect 25. R2 M

S60 M 4.56

S67½ M ~~18.06~~

21.00

S72 M ~~18.06~~

-13.06

S86 M 7.89

S86½ M 7.04

S60 M 4.87

S21 M 6.54

S15 E 6.55

S40 E 13.95

S69½ E 10.08

S77 E 16.59

S57 E 6.52

S46 E 3.48

S4 E 2.31

N87 M 18.42

175 69

Don't close by 9.20

$S 76\frac{1}{2} M$	10.88	} Section 25 ^{cont'd} R 2 W 1
$S 30 M$	5.28	
$S 16 M$	6.62	
$S 42 M$	14.75	
		between sec on line at Post. 25 & 36

$S 62 M$	3.32	} see 36, T 30, R 2
$S 40 M$	6.32	
$S 25 M$	7.35	
$S 22 M$	7.06	
$S 38\frac{1}{2} M$	4.67	} on line Section Post between 35 & 36, R 2, W
$S 78\frac{1}{2} M$	12.20	
$S 83\frac{1}{2} M$	1.23	

$N 61 M$	16.46	} Section 35
$N 87 M$	4.00	
$N 81 M$	10.43	
$N 85 M$	3.00	
$N 71 M$	7.33	
$N 45\frac{1}{2} M$	1.80	
$S 67 M$	4.63	
$S 44\frac{1}{2} M$	25.23	
$S 21\frac{1}{2} M$	16.56	
<u>167.44</u>		

S 79 M 6.00 } Section 35 R 2 W
 S 75 M 10.15 } To Post on line between
 Sects 34 & 35

S 88 M 3.73 } Sect 34 -
 S 60 M 5.73
 S 44 M 10.65
 S 29 M 9.50
 S 48 M 8.11
 S 74 M 6.54
 S 54 M 4.75
 S 35 M 1.64 } To Post on Townline
 between Dg. & 30.

S 21 M 8.98 } Sect 3. Tdg. R 2 W
 S 44 M 3.37½
 S 34½ M 12.50
 S 58 M 9.34
 S 69½ M 4.50
 S 62 M 7.15
 S 85½ M 3.50
 S 63 M 6.74
 S 53½ M 2.62 } ask for post on line
 between Sects 3 & 4 Tdg. R 2

124.80

22

Sec 4.

S 50 W	8.04	}	creek 7 Chain Wide
S 66 W	15.12		
S 39 W	9.40		
S 8 W	6.11		
S 2 W	11.05	}	Post on line between sect. 4 & 9.
S 19 W	9.46		

S 34 W	9.74	}	Sect. 9.
S 3 E	5.61		
S 5 1/2 W	5.18		
S 36 1/2 W	7.89		
S 34 W	5.76	}	}
S 31 W	7.36		
S 7 W	10.05		
S 24 W	9.58		
S 45 W	4.25	}	}
S 40 1/2 W	6.16		
S 20	7.12		
S 44 W	6.23		
	150.10		Line between Section 8. & 9.

Section 8 c

S 42 N	2.86	}
S 65 1/2 N	12.9.8	
S 72 1/2 N	5.47	
S 63 N	7.10	
S 85 N	10.31	
S 88 N	14.52	
S 78 N	10.25	
S 70 N	5.34	
S 57 1/2 N	2.83	line off 17 & 8

S 66 N	6.97	Section 17
S 49 N	3.15	
S 61 1/2 N	1.87	
		Sycamore on line between 17 & 18

S 77 N	5.44	Sect 18 crack 12 ft wide
S 67 N	8.20	
S 68 N	14.52	
S 43 1/2 N	6.58	
S 21 N	9.17	
S 42 E	12.30	
S 20 1/2 E	10.99	
S 3 E	6.60	
S 23 N	5.50	
	172.70	

24

Dec 18. contd.

S18 W. 5.16

S15 E 2.55

S16 E 12.30

S14 E 2.71

Post on line between
18 & 19

S2 E 3.62

S17 1/2 W 6.09

S53 N 15.32

S43 1/2 N 8.82

S46 W 7.47

S47 1/2 N 15.16

S 1/2 N 8.74

S24 E 4.93

S36 1/2 E 7.64

S8 1/2 E 5.30

S11 1/2 N 4.35

S43 N 3.83

S16 W 5.22

S18 E 4.66

123.27

Post on
line between Sects
19 & 20

504 E	3.53	} Section 20, Twp. R. 2
544 E	11.97	
554 E	6.88	
510 E	5.50	
525 1/2 W	10.17	
523 1/2 W	7.67	
528 W	6.20	
533 W	6.80	
516 W	8.81	
59 1/2 W	7.09	
57 1/2 W	6.82	
52 W	4.70	
514 E	4.10	} to Post on line between Sections 22 & 31

519 W	5.35	} Section 31, R. 2, W. — { between 2 & 310 Post on Range line
538 W	5.97	
560 W	3.88	

105.37

Section No. 29 R. 3 W.

S 62 1/2 N	7.48	}	Druck 1 chain wide
S 31 W	9.74		
S 50 W	12.70		
S 39 W	11.81		
S 47 W	3.10		
S 55 N	10.30	}	Don't close by 6.75
S 9 W	5.29		
S 12 E	5.54		
S 26 1/2 W	6.53	}	11 th Jan'y 1835-
S 15 1/2 W	7.57		
S 6 1/2 W	9.45		
9154		A line between Townships 28 & 29	

{ The End }

The foregoing is a true copy
from the original filed
note of the undersigned Appraiser
-not him M. Hanna
Deputy Surveyor

27

No. of miles Chains + Links on
Left Bank Tippecanoe 21,4750
Right Bank ————— 21,3989

M. C. L.
Total — 42,8739

21

W. J. Smith
1870
1871

W. J. Smith
1872

